



LabCorp San Diego
 13112 Evening Creek Dr So Ste 200
 San Diego, CA 92128-4108

Phone: 858-668-3700

Specimen Number	Patient ID	Control Number	Account Number	Account Phone Number	Route
[REDACTED]	[REDACTED]	60035511272	04330125	415-567-1014	00
Patient Last Name		Account Address			
[REDACTED]		Michel Accad MD			
Patient First Name	Patient Middle Name		2000 Van Ness Ste 208		
[REDACTED]	[REDACTED]		SAN FRANCISCO CA 94109		
Patient SS#	Patient Phone	Total Volume	Additional Information		
[REDACTED]	[REDACTED]	[REDACTED]	UPIN: G24998		
Age (Y/M/D)	Date of Birth	Sex	Fasting	Physician Name	
58/04/01	[REDACTED]	M	Yes	ACCAD, M	
Date and Time Collected	Date Entered	Date and Time Reported	NPI	Physician ID	
02/15/14 08:22	02/15/14	02/17/14 18:12ET	1649389768	[REDACTED]	

Tests Ordered
 Basic Metabolic Panel (8); Lipid Panel; Prostate-Specific Ag, Serum; ALT (SGPT); Hematocrit; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

Basic Metabolic Panel (8)

Glucose, Serum	93		mg/dL	65 - 99	01
BUN	14		mg/dL	6 - 24	01
Creatinine, Serum	1.15		mg/dL	0.76 - 1.27	01
eGFR If NonAfricn Am	70		mL/min/1.73	>59	
eGFR If Africn Am	81		mL/min/1.73	>59	
BUN/Creatinine Ratio	12			9 - 20	
Sodium, Serum	140		mmol/L	134 - 144	01
Potassium, Serum	4.0		mmol/L	3.5 - 5.2	01
Chloride, Serum	99		mmol/L	97 - 108	01
Carbon Dioxide, Total	25		mmol/L	19 - 28	01
Calcium, Serum	10.4	High	mg/dL	8.7 - 10.2	01

Lipid Panel

Cholesterol, Total	288	High	mg/dL	100 - 199	01
Triglycerides	165	High	mg/dL	0 - 149	01
HDL Cholesterol	58		mg/dL	>39	01
Comment					01

According to ATP-III Guidelines, HDL-C >59 mg/dL is considered a negative risk factor for CHD.

VLDL Cholesterol Calc	33		mg/dL	5 - 40	
LDL Cholesterol Calc	197	High	mg/dL	0 - 99	

Prostate-Specific Ag, Serum

Prostate Specific Ag, Serum	1.6		ng/mL	0.0 - 4.0	01
-----------------------------	-----	--	-------	-----------	----

According to the American Urological Association, Serum PSA should decrease and remain at undetectable levels after radical prostatectomy. The AUA defines biochemical recurrence as an initial PSA value 0.2 ng/mL or greater followed by a subsequent confirmatory PSA value 0.2 ng/mL or greater. Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence

[REDACTED]	[REDACTED]	[REDACTED]	Seq # 0142
------------	------------	------------	------------

02/17/14 18:12 ET

FINAL REPORT

Page 1 of 2

This document contains private and confidential health information protected by state and federal law. If you have received this document in error, please call 800-888-1113

©2004-14 Laboratory Corporation of America © Holdings
 All Rights Reserved
 DOC1 Ver: 1.49

Michel Accad MD



LabCorp San Diego
13112 Evening Creek Dr So Ste 200
San Diego, CA 92128-4108

Phone: 858-668-3700

Patient Name					Specimen Number			
[REDACTED]					[REDACTED]			
Account Number	Patient ID	Control Number	Date and Time Collected	Date Reported	Sex	Age(Y/M/D)	Date of Birth	
04330125		60035511272	02/15/14 08:22	02/17/14	M	58/04/01	10/14/55	

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

of the presence or absence of malignant disease.

ALT (SGPT)	20		IU/L	0 - 44	01
-------------------	----	--	------	--------	----

Hematocrit					
Hematocrit	45.3		%	37.5 - 51.0	01

01	SO	LabCorp San Diego	Dir: Kelli Chase, MD
		13112 Evening Creek Dr So Ste 200, San Diego, CA 92128-4108	
For inquiries, the physician may contact Branch: 800-888-1113 Lab: 858-668-3700			

Date lab results received: 2/16/2014
 Patient notified: Y Date: 2/18/14
 Action taken: _____

[REDACTED]	[REDACTED]	[REDACTED]	Seq # 0142
------------	------------	------------	------------

02/17/14 18:12 ET

FINAL REPORT

Page 2 of 2

This document contains private and confidential health information protected by state and federal law.
If you have received this document in error, please call 800-888-1113

©2004-14 Laboratory Corporation of America © Holdings
All Rights Reserved
DOC1 Ver: 1.49